



EMP

Port Order XML – Declaration case „SBF“

Implementation manual
Version 1.4.0.0/E

(Valid from November 2024)

DAKOSY
Datenkommunikationssystem AG

Mattentwiete 2
20457 Hamburg
www.dakosy.de

Phone: + 49 40 37003 0
info@dakosy.de

Change history

Version	Type of change	Changed by/ date	Checked by/ date
1.4.0.0/E	First valid version	24.10.2024	24.10.2024

Change requests

DAKOSY
Datenkommunikationssystem AG
Mattentwiete 2
20457 Hamburg

1. Phone: + 49 40 37003 0
2. Email: info@dakosy.de

Used tools

Number	Used tools
W1	This document was created with MS Word 2021 .

Liability

1. Despite careful development and verification of this document no liability can be derived from the content of this manual towards DAKOSY AG!

Table of contents

1	Introduction.....	4
2	Message Structure	5
3	Guideline.....	11

1 Introduction

This document describes the required and optional fields for the EMP declaration case „SBF“.

The declaration case „SBF“ is used, if other reasons for the exemption from submitting an export declaration/re-export declaration are available. More detailed information can be found at [Eingaberegeln des Zolls](#).

A XSD documentation is also available.

2 Message Structure

Ocurrence	Element/Attribute
	PortOrder
1 .. 1	xs:sequence
1 .. 1	Transaction
1 .. 1	xs:sequence
1 .. 1	IOPartner
1 .. 1	IOReference
1 .. 1	IODateTime
1 .. 1	MessageVersion
0 .. 1	TestIndicator
1 .. 1	Message
1 .. 1	xs:sequence
1 .. 1	Header
1 .. 1	xs:sequence
1 .. 1	Type
0 .. 1	RequestDateTime
1 .. 1	Locations
1 .. 1	xs:sequence
1 .. 2	Location
1 .. 1	xs:sequence
1 .. 1	LocationType
0 .. 1	Code
0 .. 1	Name
1 .. 1	References
1 .. 1	xs:sequence
0 .. 1	BookingNumber
1 .. 1	ForwarderReference
0 .. 1	BillOfLadingNumber
1 .. 1	Participants
1 .. 1	xs:sequence
1 .. 999	Participant
1 .. 1	xs:sequence
1 .. 1	ParticipantType
0 .. 1	DakosyCode
0 .. 1	Identification
1 .. 1	xs:sequence
1 .. 1	EORINumber
1 .. 1	BranchNumber
0 .. 1	Name
0 .. 1	QuayAccountNumber
0 .. 1	CustomerReference
0 .. 1	Contact
1 .. 1	xs:sequence
1 .. 1	Name
1 .. 1	EMail
0 .. 1	FAX
1 .. 1	Phone
1 .. 1	TransportDetails
1 .. 1	xs:sequence
0 .. 1	VesselIdentification
1 .. 1	xs:sequence
0 .. 1	VesselName
0 .. 1	CallSign
0 .. 1	IMONumber
1 .. 1	Schedule

Ocurrence	Element/Attribute
1 .. 1	xs:sequence
0 .. 1	EstimatedShippingDate
0 .. 1	DakosyVoyageNumber
0 .. 1	CarrierSCACCode
0 .. 1	VoyageNumber
0 .. 1	QuayOrderDetails
1 .. 1	xs:sequence
0 .. 1	Orders
1 .. 1	xs:sequence
1 .. 5	TypeOfService
0 .. 1	Delivery
1 .. 1	xs:sequence
0 .. 1	VehicleIdentification
0 .. 1	MeansOfTransport
0 .. 1	DeliveryTo
0 .. 1	AdditionalRemarks
0 .. 1	AdditionalRequest
0 .. 1	WarehouseNumber
0 .. 1	SpecialAgreement
0 .. 1	GoodsInTransitBySealIndicator
0 .. 1	OutboardLoadingIndicator
0 .. 1	ATLASSelfDeclaredIndicator
0 .. 1	DangerousGoodsIssuer
1 .. 1	GoodsItems
1 .. 1	xs:sequence
1 .. 999	GoodsItem
1 .. 1	xs:sequence
1 .. 1	GoodsItemId
1 .. 1	DetailInformation
1 .. 1	xs:sequence
1 .. 1	NumberOfPackages
1 .. 1	PackingCode
1 .. 1	GrossWeight
	unit
0 .. 1	NetWeight
	unit
0 .. 1	MarksAndNumbers
0 .. 1	GoodsDescription
0 .. 1	MeansOfTransportID
0 .. 1	Remarks
0 .. 1	ContainerReferences
1 .. 1	xs:sequence
1 .. 999	ContainerReference
1 .. 1	xs:sequence
1 .. 1	ContainerNumber
0 .. 1	VehicleInformation
1 .. 1	xs:sequence
0 .. 1	ChassisNumber
0 .. 1	EquipmentIndicator
0 .. 1	AdditionalCargoIndicator
0 .. 1	CustomsInformation
1 .. 1	xs:sequence
1 .. 1	EXSPositionNumber
0 .. 1	CountryOfDeparture
1 .. 1	CountryOfDestination

Ocurrence	Element/Attribute
1 .. 1	Participants
1 .. 1	xs:sequence
1 .. 999	Participant
1 .. 1	xs:sequence
1 .. 1	ParticipantType
0 .. 1	EORINumber
0 .. 1	BranchNumber
1 .. 1	Name
0 .. 1	Address
1 .. 1	xs:sequence
1 .. 4	Line
0 .. 1	Commodity
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description
0 .. 1	SpecialComments
0 .. 1	ProcedureCode
1 .. 1	OtherExemptionIndicator
1 .. 1	LimitedValueShipmentIndicator
0 .. 1	CustomsReferences
1 .. 1	xs:sequence
0 .. 1	TransitMRN
0 .. 1	ExportMRN
0 .. 1	DangerousGoodsInformations
1 .. 1	xs:sequence
1 .. 99	DangerousGoodsInformation
1 .. 1	xs:sequence
0 .. 1	IMDGAmendment
1 .. 1	IMDGClass
1 .. 1	UNNumber
0 .. 1	EmergencyProcedure
1 .. 1	xs:sequence
0 .. 1	FireSchedule
0 .. 1	SpillageSchedule
0 .. 1	FlashPoint
	<i>unit</i>
0 .. 1	Label
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	FirstAdditionalLabel
0 .. 1	SecondAdditionalLabel
0 .. 1	MarinePollutantIndicator
1 .. 1	LimitedQuantityIndicator
0 .. 1	ExceptedQuantityIndicator
0 .. 1	PackingGroup
0 .. 1	Properties
0 .. 1	WaterHazardClass
1 .. 1	PropperShippingName
0 .. 1	TechnicalName
0 .. 1	GGVSAAndADRInformation
1 .. 1	xs:sequence
0 .. 1	Class
0 .. 1	Figure
0 .. 1	ExplosiveInformation
1 .. 1	xs:sequence

Ocurrence	Element/Attribute
0 .. 1	Stowage
0 .. 1	CompatibilityGroup
0 .. 1	PowderWeight
	<i>unit</i>
0 .. 1	RadioactivityInformation
1 .. 1	<i>xs:sequence</i>
1 .. 1	Activity
	<i>unit</i>
1 .. 1	Category
1 .. 1	TransportCode
1 .. 1	PackingType
0 .. 1	Dimensions
1 .. 1	<i>xs:sequence</i>
1 .. 999	Dimension
1 .. 1	<i>xs:sequence</i>
0 .. 1	Count
0 .. 1	Size
1 .. 1	<i>xs:sequence</i>
0 .. 1	Length
	<i>unit</i>
0 .. 1	Width
	<i>unit</i>
0 .. 1	Height
	<i>unit</i>
0 .. 1	Volume
1 .. 1	<i>xs:sequence</i>
0 .. 1	Single
	<i>unit</i>
0 .. 1	Total
	<i>unit</i>
0 .. 1	Packages
1 .. 1	<i>xs:sequence</i>
1 .. 999	Package
1 .. 1	<i>xs:sequence</i>
1 .. 1	Packageld
1 .. 1	DetailInformation
1 .. 1	<i>xs:sequence</i>
1 .. 1	NumberOfPackages
1 .. 1	PackingCode
1 .. 1	GrossWeight
	<i>unit</i>
0 .. 1	NetWeight
	<i>unit</i>
0 .. 1	MarksAndNumbers
0 .. 1	GoodsDescription
0 .. 1	MeansOfTransportID
0 .. 1	Remarks
0 .. 1	VehicleInformation
1 .. 1	<i>xs:sequence</i>
0 .. 1	ChassisNumber
0 .. 1	EquipmentIndicator
0 .. 1	AdditionalCargoIndicator
0 .. 1	CustomsInformation
1 .. 1	<i>xs:sequence</i>
1 .. 1	EXSPositionNumber
0 .. 1	CountryOfDeparture

Ocurrence	Element/Attribute
1 .. 1	CountryOfDestination
1 .. 1	Participants
1 .. 1	xs:sequence
1 .. 999	Participant
1 .. 1	xs:sequence
1 .. 1	ParticipantType
0 .. 1	EORINumber
0 .. 1	BranchNumber
1 .. 1	Name
0 .. 1	Address
1 .. 1	xs:sequence
1 .. 4	Line
0 .. 1	Commodity
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	Description
0 .. 1	SpecialComments
0 .. 1	ProcedureCode
1 .. 1	OtherExemptionIndicator
1 .. 1	LimitedValueShipmentIndicator
0 .. 1	CustomsReferences
1 .. 1	xs:sequence
0 .. 1	TransitMRN
0 .. 1	ExportMRN
0 .. 1	DangerousGoodsInformations
1 .. 1	xs:sequence
1 .. 99	DangerousGoodsInformation
1 .. 1	xs:sequence
0 .. 1	IMDGAmendment
1 .. 1	IMDGClass
1 .. 1	UNNumber
0 .. 1	EmergencyProcedure
1 .. 1	xs:sequence
0 .. 1	FireSchedule
0 .. 1	SpillageSchedule
0 .. 1	FlashPoint
	unit
0 .. 1	Label
1 .. 1	xs:sequence
0 .. 1	Code
0 .. 1	FirstAdditionalLabel
0 .. 1	SecondAdditionalLabel
0 .. 1	MarinePollutantIndicator
1 .. 1	LimitedQuantityIndicator
0 .. 1	ExceptedQuantityIndicator
0 .. 1	PackingGroup
0 .. 1	Properties
0 .. 1	WaterHazardClass
1 .. 1	PropperShippingName
0 .. 1	TechnicalName
0 .. 1	GGVSAAndADRInformation
1 .. 1	xs:sequence
0 .. 1	Class
0 .. 1	Figure
0 .. 1	ExplosiveInformation

Ocurrence	Element/Attribute	
1 .. 1	<ul style="list-style-type: none"> xs:sequence Stowage CompatibilityGroup PowderWeight unit 	
0 .. 1		
0 .. 1		
0 .. 1		
0 .. 1	RadioactivityInformation	
1 .. 1	<ul style="list-style-type: none"> xs:sequence Activity unit 	
1 .. 1		
1 .. 1	<ul style="list-style-type: none"> Category TransportCode PackingType 	
1 .. 1		
1 .. 1		
1 .. 1		
0 .. 1	Dimensions	
1 .. 1	xs:sequence	
1 .. 999	Dimension	
1 .. 1	xs:sequence	
0 .. 1	Count	
0 .. 1	Size	
1 .. 1	xs:sequence	
0 .. 1	<ul style="list-style-type: none"> Length unit 	
0 .. 1		<ul style="list-style-type: none"> Width unit
0 .. 1		
0 .. 1	Volume	
1 .. 1	xs:sequence	
0 .. 1	Single	
0 .. 1	unit	
0 .. 1	Total	
0 .. 1	unit	
0 .. 1	Containers	
1 .. 1	xs:sequence	
1 .. 999	Container	
1 .. 1	xs:sequence	
1 .. 1	ContainerNumber	
0 .. 1	NonIsoContainerIndicator	
0 .. 1	Seal	
1 .. 1	SizeType	
0 .. 1	TemperatureRange	
1 .. 1	xs:sequence	
0 .. 1	Min	
0 .. 1	unit	
0 .. 1	Max	
0 .. 1	unit	

3 Guideline

Element/Attribute	Annotation
PortOrder	Type PortOrderElementType
xs:sequence	Occurrence 1 .. 1
Transaction	Occurrence 1 .. 1 Type TransactionType
xs:sequence	Occurrence 1 .. 1
IOPartner	Occurrence 1 .. 1 Type an..4 Length .. 4 Description DAKOSY participant code
IOReference	Occurrence 1 .. 1 Type an..35 Length .. 35 Description Unique and unambiguous transaction identification reference
IODateTime	Occurrence 1 .. 1 Type xs:dateTime Description Date and time of message creation - ISO 8601 Coordinated Universal Time (UTC) or local time with offset to UTC.
MessageVersion	Occurrence 1 .. 1 Type an..12 Length .. 12 Description Used message version
TestIndicator	Occurrence 0 .. 1 Type xs:boolean Description Test indicator - Indicates whether or not the message is a test message. If the element is not specified or specified as "true", it is about a production message.
Message	Occurrence 1 .. 1 Type MessageType
xs:sequence	Occurrence 1 .. 1
Header	Occurrence 1 .. 1 Type HeaderType
xs:sequence	Occurrence 1 .. 1
Type	Occurrence 1 .. 1 Type portOrderTypeCode Description Port Order Type Applicable Codes
RequestDateTime	SBF Other exemptions Occurrence 0 .. 1 Type xs:dateTime Description Date and time of request by the forwarder. ISO 8601 Coordinated Universal Time (UTC) or local time with offset to UTC. Deprecated since Version 1.3.0, will not be processed.
Locations	Occurrence 1 .. 1 Type LocationsType Description This segment summarizes information concerning the shipment route.
xs:sequence	Occurrence 1 .. 1
Location	Occurrence 1 .. 2 Type LocationType Description A location within the shipment route.
xs:sequence	Occurrence 1 .. 1
LocationType	Occurrence 1 .. 1 Type locationTypeCode Description Describes the location type Applicable Codes
Code	FD Final destination POD Port of discharge Occurrence 0 .. 1 Type an5 Description UN-Locode

Element/Attribute	Annotation
└─ Name	Occurrence 0 .. 1 Type an..35 Length .. 35 Description Name of location
└─ References	Occurrence 1 .. 1 Type ReferencesType
└─ xs:sequence	Occurrence 1 .. 1
└─ BookingNumber	Occurrence 0 .. 1 Type an..20 Length .. 20 Description Booking number
└─ ForwarderReference	Occurrence 1 .. 1 Type an..16 Length .. 16 Description Reference number of forwarder
└─ BillOfLadingNumber	Occurrence 0 .. 1 Type an..10 Length .. 10 Description BL number
└─ Participants	Occurrence 1 .. 1 Type ParticipantsType Description This element summarizes information concerning the different process participants.
└─ xs:sequence	Occurrence 1 .. 1
└─ Participant	Occurrence 1 .. 999 Type ParticipantType Description This segment summarizes information concerning one process participant at a time.
└─ xs:sequence	Occurrence 1 .. 1
└─ ParticipantType	Occurrence 1 .. 1 Type participantTypeCode Description Participant type Applicable Codes AGENT Shipping agent ISSUER Issuer PARTY_PAYIN Party committing to payment G WAREHOUSE Warehouse
└─ DakosyCode	Occurrence 0 .. 1 Type an..4 Length .. 4 Description DAKOSY participant code
└─ Identification	Occurrence 0 .. 1 Type IdentificationType Description Identification of participant via EORI and branch number
└─ xs:sequence	Occurrence 1 .. 1
└─ EORINumber	Occurrence 1 .. 1 Type eoriNumberType Length 4 .. 17 Pattern [A-Z]{2}[0-9A-Z]{2,15} Description EORI number
└─ BranchNumber	Occurrence 1 .. 1 Type n4 FractionDigits 0 TotalDigits 4 Pattern \d{4} Description Branch number, set to 0000 if not registered.
└─ Name	Occurrence 0 .. 1 Type an..40 Length .. 40 Description Name of participant

Element/Attribute	Annotation
QuayAccountNumber	Occurrence 0 .. 1 Type an..6 Length .. 6 Description Quai account number of participant
CustomerReference	Occurrence 0 .. 1 Type an..16 Length .. 16 Description Individual position number of participant
Contact	Occurrence 0 .. 1 Type ContactType Description Information of contact person (name, email, fax number and phone number)
xs:sequence	Occurrence 1 .. 1
Name	Occurrence 1 .. 1 Type an..40 Length .. 40 Description Name of contact person
E-Mail	Occurrence 1 .. 1 Type an..100 Length .. 100 Description Email address of contact person
FAX	Occurrence 0 .. 1 Type an..40 Length .. 40 Description Fax number of contact person
Phone	Occurrence 1 .. 1 Type an..40 Length .. 40 Description Phone number of contact person
TransportDetails	Occurrence 1 .. 1 Type TransportDetailsType Description This segment provides information concerning the shipment.
xs:sequence	Occurrence 1 .. 1
VesselIdentification	Occurrence 0 .. 1 Type VesselIdentificationType Description Information concerning the vessel identification (name, IMO number, call sign)
xs:sequence	Occurrence 1 .. 1
VesselName	Occurrence 0 .. 1 Type an..50 Length .. 50 Description Vessel name
CallSign	Occurrence 0 .. 1 Type an..7 Length .. 7 Description Call sign of the vessel
IMONumber	Occurrence 0 .. 1 Type an..7 Length .. 7 Description IMO number of the vessel
Schedule	Occurrence 1 .. 1 Type VesselScheduleType Description Information concerning the planned vessel voyage
xs:sequence	Occurrence 1 .. 1
EstimatedShippingDate	Occurrence 0 .. 1 Type xs:date Description Planned date of shipment
DakosyVoyageNumber	Occurrence 0 .. 1 Type dakosyVoyageNumberType Pattern [A-Z]{3}[0-9]{4} Description DAKOSY voyage number

Element/Attribute	Annotation																																						
CarrierSCACCode	<p>Occurrence 0 .. 1 Type an..4 Length .. 4 Description SCAC code of shipowner</p>																																						
VoyageNumber	<p>Occurrence 0 .. 1 Type an..8 Length .. 8 Description Voyage number of shipowner</p>																																						
QuayOrderDetails	<p>Occurrence 0 .. 1 Type QuayOrderDetailsType</p>																																						
xs:sequence	<p>Occurrence 1 .. 1</p>																																						
Orders	<p>Occurrence 0 .. 1 Type OrdersType Description This segment is used to collect all additional types of services and orders. The specification of service types in this segment is not required at the moment. The textual application in the note field applies.</p>																																						
xs:sequence	<p>Occurrence 1 .. 1</p>																																						
TypeOfService	<p>Occurrence 1 .. 5 Type typeOfServiceCode Description Service/order type</p> <p>Applicable Codes</p> <table> <tr><td>480</td><td>Labelling</td></tr> <tr><td>490</td><td>Re-labelling</td></tr> <tr><td>500</td><td>Sorting</td></tr> <tr><td>510</td><td>Putting aside and releasing of goods for arbitrage purposes. Upon release third copy is returned.</td></tr> <tr><td>520</td><td>Maintenance and repair</td></tr> <tr><td>530</td><td>Counting</td></tr> <tr><td>540</td><td>Measuring (only for LCL)</td></tr> <tr><td>550</td><td>Sampling</td></tr> <tr><td>560</td><td>Surveillance</td></tr> <tr><td>570</td><td>Assessing content/condition</td></tr> <tr><td>580</td><td>Pack/unpack containers</td></tr> <tr><td>590</td><td>Weighing</td></tr> <tr><td>591</td><td>Weigh individually</td></tr> <tr><td>592</td><td>Weigh in trays</td></tr> <tr><td>593</td><td>Weigh in batches</td></tr> <tr><td>594</td><td>Weigh with mechanical handling equipment</td></tr> <tr><td>595</td><td>Weigh without mechanical handling equipment</td></tr> <tr><td>596</td><td>Classification (determine tara)</td></tr> <tr><td>999</td><td>Other</td></tr> </table>	480	Labelling	490	Re-labelling	500	Sorting	510	Putting aside and releasing of goods for arbitrage purposes. Upon release third copy is returned.	520	Maintenance and repair	530	Counting	540	Measuring (only for LCL)	550	Sampling	560	Surveillance	570	Assessing content/condition	580	Pack/unpack containers	590	Weighing	591	Weigh individually	592	Weigh in trays	593	Weigh in batches	594	Weigh with mechanical handling equipment	595	Weigh without mechanical handling equipment	596	Classification (determine tara)	999	Other
480	Labelling																																						
490	Re-labelling																																						
500	Sorting																																						
510	Putting aside and releasing of goods for arbitrage purposes. Upon release third copy is returned.																																						
520	Maintenance and repair																																						
530	Counting																																						
540	Measuring (only for LCL)																																						
550	Sampling																																						
560	Surveillance																																						
570	Assessing content/condition																																						
580	Pack/unpack containers																																						
590	Weighing																																						
591	Weigh individually																																						
592	Weigh in trays																																						
593	Weigh in batches																																						
594	Weigh with mechanical handling equipment																																						
595	Weigh without mechanical handling equipment																																						
596	Classification (determine tara)																																						
999	Other																																						
Delivery	<p>Occurrence 0 .. 1 Type DeliveryType Description This segment provides information concerning the delivery.</p>																																						
xs:sequence	<p>Occurrence 1 .. 1</p>																																						
VehicleIdentification	<p>Occurrence 0 .. 1 Type an..13 Length .. 13 Description Wagon/truck number plate</p>																																						
MeansOfTransport	<p>Occurrence 0 .. 1 Type meansOfTransportCode Description Code of means of transport</p> <p>Applicable Codes</p> <table> <tr><td>AB</td><td>Outboard</td></tr> <tr><td>AN</td><td>Other</td></tr> <tr><td>BS</td><td>Inland vessel</td></tr> <tr><td>FE</td><td>Feeder</td></tr> <tr><td>LK</td><td>Truck</td></tr> <tr><td>SC</td><td>Barge</td></tr> <tr><td>SS</td><td>Seagoing/Ocean vessel</td></tr> </table>	AB	Outboard	AN	Other	BS	Inland vessel	FE	Feeder	LK	Truck	SC	Barge	SS	Seagoing/Ocean vessel																								
AB	Outboard																																						
AN	Other																																						
BS	Inland vessel																																						
FE	Feeder																																						
LK	Truck																																						
SC	Barge																																						
SS	Seagoing/Ocean vessel																																						

Element/Attribute	Annotation
	Applicable Codes
	TL Trailer
	UN Unknown
	WG Waggon
DeliveryTo	Occurence 0 .. 1 Type an..30 Length .. 30 Description At the disposal/delivery of the company
AdditionalRemarks	Occurence 0 .. 1 Type an..4lines Pattern (:?[\r?\n]{1,72}(\r?\n)?){0,3}[\r?\n]{1,72}[\r?\n]? Description Additional information - remarks etc. Specification of 1-4 columns with each max. 72 characters
AdditionalRequest	Occurence 0 .. 1 Type an..35 Length .. 35 Description Additional requests
WarehouseNumber	Occurence 0 .. 1 Type an..11 Length .. 11 Description Warehouse number
SpecialAgreement	Occurence 0 .. 1 Type an..8 Length .. 8 Description Special agreements (e.g. special rate, offers)
GoodsInTransitBySeaIndicator	Occurence 0 .. 1 Type xs:boolean Description Is it about marine transit goods? (true = yes, false = no)
OutboardLoadingIndicator	Occurence 0 .. 1 Type xs:boolean Description Is it about outboard loading? (true = yes, false = no)
ATLASelfDeclaredIndicator	Occurence 0 .. 1 Type xs:boolean Description Is it about a ATLAS self-declaration? (true = yes, false = no) Deprecated since version 1.3.0, will not be processed.
DangerousGoodsIssuer	Occurence 0 .. 1 Type an..72 Length .. 72 Description Issuer (individual) in charge for the DG specifications
GoodsItems	Occurence 1 .. 1 Type GoodsItemsType Description All packages of this shipment
xs:sequence	
GoodsItem	Occurence 1 .. 999 Type GoodsItemType Description A package (goods item) line
xs:sequence	
GoodsItemId	Occurence 1 .. 1 Type an..35 Length .. 35 Description Unique and unambiguous goods item identification number within a message
DetailInformation	Occurence 1 .. 1 Type GoodsDetailInformationType Description Different detail information regarding the package (goods item)
xs:sequence	
NumberOfPackages	Occurence 1 .. 1 Type n..6 FractionDigits 0 TotalDigits 6 Inclusive 1 .. Pattern \d{1,6}

Element/Attribute	Annotation
PackingCode	Description Number of packages
	Occurence 1 .. 1
	Type an2
GrossWeight	Description Packing code. Code list under: https://www.dakosy.de/fileadmin/Redakteur/Support/Dokumentation/Entwicklerdokumentation/EDI/Allgemein/Verpackungsartenschluessel.pdf
	Occurence 1 .. 1
	Type Weight7.3Type
unit	FractionDigits 3
	TotalDigits 10
	Pattern \d{1,7}(\.\d{1,3})?
NetWeight	Description Gross weight (excl. container tara), gross mass. The gross mass is understood to be the mass of the goods with all enclosures except the transport material and in particular containers.
	Occurence 0 .. 1
	Type Weight7.3Type
unit	FractionDigits 3
	TotalDigits 10
	Pattern \d{1,7}(\.\d{1,3})?
MarksAndNumbers	Description Net weight, net mass. The net mass is understood to be the mass of the goods without all enclosures.
	Occurence 0 .. 1
	Type Weight7.3Type
GoodsDescription	Description Unit of measurement of the weight
	Occurence 0 .. 1
	Type an..1024
MeansOfTransportID	Length .. 1024
	Description Marks and numbers
	Occurence 0 .. 1
Remarks	Type an..1024
	Length .. 1024
	Description Goods description
ContainerReferences	Occurence 0 .. 1
	Type an..13
	Description Means of transport indicator
ContainerReference	Occurence 0 .. 1
	Type an..1024
	Description Remarks
ContainerNumber	Length .. 13
	Description ContainerReferencesType
	Occurence 1 .. 1
VehicleInformation	Occurence 1 .. 999
	Type ContainerReferenceType
	Description Information to a vehicle
xs:sequence	Length .. 12
	Description Container number
	Occurence 1 .. 1
xs:sequence	Type an..12
	Description VehicleInformationType
	Occurence 1 .. 1

Element/Attribute	Annotation
ChassisNumber	<p>Occurrence 0 .. 1 Type chassisNumberType Length .. 17 Pattern [^\sO]{1,17} Description Chassis number of a vehicle - Note: The character "I" and "O" are not permitted. Instead, always send the digit "1" (one) and "0" (zero).</p>
EquipmentIndicator	<p>Occurrence 0 .. 1 Type xs:boolean Description Indicates whether it is vehicle loading equipment. true = yes, ChassisNumber must be filled, false or not available = no.</p>
AdditionalCargoIndicator	<p>Occurrence 0 .. 1 Type xs:boolean Description Indicates whether it is vehicle loading additional cargo. true = yes, ChassisNumber must be empty, false or not available = no.</p>
CustomsInformation	<p>Occurrence 0 .. 1 Type CustomsInformationType Description Information concerning the customs procedure</p>
xs:sequence	
EXSPositionNumber	<p>Occurrence 1 .. 1 Type n..2 FractionDigits 0 TotalDigits 2 Inclusive 1 .. Pattern \d{1,2} Description Position number of export declaration - transferred from position of export declaration (the positions of the export declaration have to be sent in ascending order, beginning with 1).</p>
CountryOfDeparture	<p>Occurrence 0 .. 1 Type an2 Description Country of dispatch/export/origin - ISO country code (Mandatory in case of MIT, DUX without MRN and AUS; mandatory in case of EUB, if country of dispatch is a non-EU country).</p>
CountryOfDestination	<p>Occurrence 1 .. 1 Type an2 Description Country of destination - Not permitted in case of declaration type AES.</p>
Participants	<p>Occurrence 1 .. 1 Type CustomsParticipantsType Description Participants involved in the customs process</p>
xs:sequence	
Participant	<p>Occurrence 1 .. 999 Type CustomsParticipantType Description An involved participant</p>
xs:sequence	
ParticipantType	<p>Occurrence 1 .. 1 Type customsParticipantTypeCode Description Participant type</p> <p>Applicable Codes</p> <p>CONSIGNEE Consignee DECLARANT Declarant EXPORTER Exporter REPRESENTI Representing company NG_COMPAN Y</p>
EORINumber	<p>Occurrence 0 .. 1 Type eoriNumberType Length 4 .. 17 Pattern [A-Z]{2}[0-9A-Z]{2,15}</p>

Element/Attribute	Annotation
	<p>Description EORI number with branch. Alternatively to ParticipantsName in case of DUX without MRN. In case of one-stage AES procedure the EORI number for ParticipantType EXPORTER and/or REPRESENTING COMPANY must be specified.</p>
BranchNumber	<p>Occurence 0 .. 1 Type n4 FractionDigits 0 TotalDigits 4 Pattern \d{4} Description Branch number</p>
Name	<p>Occurence 1 .. 1 Type an..40 Length .. 40 Description Name</p>
Address	<p>Occurence 0 .. 1 Type AddressType Name Address specification</p>
xs:sequence	<p>Occurence 1 .. 1</p>
Line	<p>Occurence 1 .. 4 Type an..35 Length .. 35 Description Address specification</p>
Commodity	<p>Occurence 0 .. 1 Type CommodityType Description Commodity description</p>
xs:sequence	<p>Occurence 1 .. 1</p>
Code	<p>Occurence 0 .. 1 Type commodityCodeType Length 8 .. 12 Pattern ([a-zA-Z\d]{8})[a-zA-Z\d]{12}) Description Statistical commodity code - 8-digit specification, in case of market regulation goods 12-digit.</p>
Description	<p>Occurence 0 .. 1 Type an..176 Length .. 176 Description Goods description</p>
SpecialComments	<p>Occurence 0 .. 1 Type an..225 Length .. 225 Description Special comments - Documents, certificates, approvals submitted.</p>
ProcedureCode	<p>Occurence 0 .. 1 Type procedureCodeType FractionDigits 0 TotalDigits 4 Pattern ([1-3]\d{3})9[5-9]\d{2}) Description Procedure code - valid values are 1000 until 3999 and 9500 until 9999</p>
OtherExemptionIndicator	<p>Occurence 1 .. 1 Type xs:boolean Description Indicator "Other exemption" - "true" = yes, the customs data indicated is goods with "other exemption", "false" or not available = No, there is no "other exemption". Mandatory in case of declaration type SBF.</p>
LimitedValueShipmentIndicator	<p>Occurence 1 .. 1 Type xs:boolean Description Indicator defining the explanation of the value of the export shipment - "false" = the value is higher than 1000 EUR, "true" = the value is smaller/equals 1000 EUR. Mandatory in case of declaration type SBF.</p>
CustomsReferences	<p>Occurence 0 .. 1 Type CustomsReferencesType</p>

Element/Attribute	Annotation
	Description Customs references
xs:sequence	Occurrence 1 .. 1
– TransitMRN	Occurrence 0 .. 1 Type mrnType Pattern \d{2}[A-Z]{2}[A-Z\d]{14} Description MRN number of shipment - shipping label number / MRN number of the shipment (not to be confused with the MRN of the export procedure).
– ExportMRN	Occurrence 0 .. 1 Type mrnType Pattern \d{2}[A-Z]{2}[A-Z\d]{14} Description Number of export declaration. Mandatory in case of declaration type AUS.
– DangerousGoodsInformations	Occurrence 0 .. 1 Type DangerousGoodsInformationsType Description Dangerous goods information - Note: For WKS, it is possible to specify multiple UN numbers by including multiple DangerousGoodsInformation elements. In all other cases, only the first element of the list will be evaluated.
xs:sequence	Occurrence 1 .. 1
– DangerousGoodsInformation	Occurrence 1 .. 99 Type DangerousGoodsInformationType Description Dangerous goods information
xs:sequence	Occurrence 1 .. 1
– IMDGAmendment	Occurrence 0 .. 1 Type an..10 Length .. 10 Description Amendment of IMDG code where the dangerous goods information refer to
– IMDGClass	Occurrence 1 .. 1 Type an..4 Length .. 4 Description IMDG class - check against the IMDG code as well as compatibility assessment with UN number
– UNNumber	Occurrence 1 .. 1 Type an..4 Length .. 4 Description UN number - check against the IMDG code as well as compatibility assessment with IMDG class. NONE permitted.
– EmergencyProcedure	Occurrence 0 .. 1 Type EmergencyProcedureType
xs:sequence	Occurrence 1 .. 1
– FireSchedule	Occurrence 0 .. 1 Type fireScheduleType Pattern F-[A-J] Description Accident leaflets for fire (emergency procedure)
– SpillageSchedule	Occurrence 0 .. 1 Type spillageScheduleType Pattern S-[A-Z] Description Accident leaflets for leakage (emergency procedure)
– FlashPoint	Occurrence 0 .. 1 Type Temperature1000Type FractionDigits 0 Inclusive -999 .. 999 Description Flashpoint - Mandatory in case of class 3 or if the 1. digit of a lable = 3
unit	Type temperatureUnitCode Description Unit of temperature
	Applicable Codes
	CEL Celsius

Element/Attribute	Annotation
Label	Occurrence 0 .. 1 Type DGLabelType Description Label
xs:sequence	Occurrence 1 .. 1
Code	Occurrence 0 .. 1 Type an..4 Length .. 4 Description Code
FirstAdditionalLabel	Occurrence 0 .. 1 Type an..4 Length .. 4 Description First additional label
SecondAdditionalLabel	Occurrence 0 .. 1 Type an..4 Length .. 4 Description Second additional label
MarinePollutantIndicator	Occurrence 0 .. 1 Type xs:boolean Description Indicator marine pollutant
LimitedQuantityIndicator	Occurrence 1 .. 1 Type xs:boolean Description Indicator limited quantity
ExceptedQuantityIndicator	Occurrence 0 .. 1 Type xs:boolean Description Indicator "excepted quantity" (This is a new regulation for the transport of excepted quantities, similar to the transport of limited quantity, simplified regulations apply to the transport of these dangerous goods.)
PackingGroup	Occurrence 0 .. 1 Type an..3 Length .. 3 Description Packaging group - Mandatory in case of N.O.S. position (not otherwise specified), meaning if one of the following character sequences occurs in the element PropperShippingName: NOS/nos/N.O.S./n.o.s./NAG/nag/N.A.G./n.a.g. Possible contents I, II, III >= (does not apply for the class 1,2 and 7)
Properties	Occurrence 0 .. 1 Type an..216 Length .. 216 Description Properties/remarks
WaterHazardClass	Occurrence 0 .. 1 Type waterHazardClassCode Description WGK code, water hazard class - coding: 0/1/2/3 Applicable Codes 0 not assigned 1 low water hazard material 2 water hazard material 3 high water hazard material
PropperShippingName	Occurrence 1 .. 1 Type an..72 Length .. 72 Description Propper technical term - Propper technical shipping term according to IMDG code
TechnicalName	Occurrence 0 .. 1 Type an..110 Length .. 110 Description Hazard trigger - Mandatory in case of dangerous goods listed in the general introduction IMDG code chapter 7.
GGVSAAndADRInformation	Occurrence 0 .. 1 Type DGGGVSAAndADRInformationType Description GGVSA/ADR specifications - Specifications referring to the dangerous goods regulations street

Element/Attribute	Annotation
xs:sequence	Occurrence 1 .. 1
Class	Occurrence 0 .. 1 Type an..4 Length .. 4 Description Class
Figure	Occurrence 0 .. 1 Type an..4 Length .. 4 Description Number
ExplosiveInformation	Occurrence 0 .. 1 Type DGEExplosiveInformationType Description Extended information in case of explosive dangerous goods
xs:sequence	Occurrence 1 .. 1
Stowage	Occurrence 0 .. 1 Type an..3 Length .. 3 Description Stowage method (acc. to 27. Amdt. IMDG code)
CompatibilityGroup	Occurrence 0 .. 1 Type an1 Description Compatibility group
PowderWeight	Occurrence 0 .. 1 Type Weight7.3Type FractionDigits 3 TotalDigits 10 Pattern \d{1,7}(\.\d{1,3})? Description Net powder weight
unit	Type weightUnitCode Description Unit of measurement of the weight
Applicable Codes	
KGM	Kilogramm
RadioactivityInformation	Occurrence 0 .. 1 Type DGRadioactivityInformationType Description Extended information in case of radioactive dangerous goods
xs:sequence	Occurrence 1 .. 1
Activity	Occurrence 1 .. 1 Type ActivityType Length .. 4 Description Activity
unit	Type radioactiveActivityUnitCode Description Unit of activity
Applicable Codes	
2Q	Kilobecquerel
4N	Megabecquerel
BQ	Becquerel (Deprecated!)
BQL	Becquerel
GBQ	Gigabecquerel
KBQ	Kilobecquerel (Deprecated!)
MBQ	Megabecquerel (Deprecated!)
PBQ	Petabecquerel
TBQ	Terabecquerel
Category	Occurrence 1 .. 1 Type an..4 Length .. 4 Description Category
TransportCode	Occurrence 1 .. 1 Type an..3 Length .. 3 Description Transport code (not required in case of sheet number 01-04)
PackingType	Occurrence 1 .. 1 Type dgPackingTypeCode

Element/Attribute	Annotation
	Description Packing type class 7
	Applicable Codes
	A Type A Package
	B(M) Type B(M) Package
	B(U) Type B(U) Package
	C Type C Package
	FREI Excepted Package
	IP-1 Industrial Package Type 1 (Type IP-1 Package)
	IP-2 Industrial Package Type 2 (Type IP-2 Package)
	IP-3 Industrial Package Type 3 (Type IP-3 Package)
	IP1 Industrial Package Type 1 (Type IP-1 Package) (Deprecated!)
	IP2 Industrial Package Type 2 (Type IP-2 Package) (Deprecated!)
	TYPA Type A Package (Deprecated!)
	TYPB Type B(U) Package (Deprecated!)
	TYPC Type C Package (Deprecated!)
	TYPM Type B(M) Package (Deprecated!)
Dimensions	Occurrence 0 .. 1
	Type DimensionsType
	Description Dimensions forwarding agency
xs:sequence	Occurrence 1 .. 1
Dimension	Occurrence 1 .. 999
	Type DimensionType
	Description Dimensions forwarding agency
xs:sequence	Occurrence 1 .. 1
Count	Occurrence 0 .. 1
	Type n..4
	FractionDigits 0
	TotalDigits 4
	Inclusive 1 ..
	Pattern \d{1,4}
	Description Number
Size	Occurrence 0 .. 1
	Type SizeType
	Description Length specifications
xs:sequence	Occurrence 1 .. 1
Length	Occurrence 0 .. 1
	Type LengthType
	FractionDigits 0
	TotalDigits 4
	Inclusive 1 ..
	Pattern \d{1,4}
	Description Length
unit	Type sizeUnitCode
	Description Unit of size specifications
	Applicable Codes
	CMT Zentimeter/Centimeter
Width	Occurrence 0 .. 1
	Type LengthType
	FractionDigits 0
	TotalDigits 4
	Inclusive 1 ..
	Pattern \d{1,4}
	Description Width
unit	Type sizeUnitCode
	Description Unit of size specifications
	Applicable Codes
	CMT Zentimeter/Centimeter

Element/Attribute	Annotation
Height	<p>Occurrence 0 .. 1 Type LengthType FractionDigits 0 TotalDigits 4 Inclusive 1 .. Pattern \d{1,4} Description Height</p>
unit	<p>Type sizeUnitCode Description Unit of size specifications Applicable Codes CMT Zentimeter/Centimeter</p>
Volume	<p>Occurrence 0 .. 1 Type VolumeType Description Measurements volume</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
Single	<p>Occurrence 0 .. 1 Type Volume4.3Type FractionDigits 3 TotalDigits 7 Pattern \d{1,4}(\.\d{1,3})? Description Single coubage</p>
unit	<p>Type volumeUnitCode Description Unit of volume specifications Applicable Codes MTQ Kubikmeter</p>
Total	<p>Occurrence 0 .. 1 Type Volume8.3Type FractionDigits 3 TotalDigits 11 Pattern \d{1,8}(\.\d{1,3})? Description Total coubage</p>
unit	<p>Type volumeUnitCode Description Unit of volume specifications Applicable Codes MTQ Kubikmeter</p>
Packages	<p>Occurrence 0 .. 1 Type PackagesType Description All positions to a package line</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
Package	<p>Occurrence 1 .. 999 Type PackageType Description A position to a goods item</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
PackageId	<p>Occurrence 1 .. 1 Type an..35 Length .. 35 Description A unique and unambiguous package identification number</p>
DetailInformation	<p>Occurrence 1 .. 1 Type GoodsDetailInformationType Description Several detail information to goods item</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
NumberOfPackages	<p>Occurrence 1 .. 1 Type n..6 FractionDigits 0 TotalDigits 6 Inclusive 1 .. Pattern \d{1,6} Description Number of packages</p>
PackingCode	<p>Occurrence 1 .. 1 Type an2 Description Packing code. Code list under: https://www.dakosy.de/fileadmin/Redakteur/Support/Dokumentation/Entwicklerdokumentation/EDI/Allgemein/</p>

Element/Attribute	Annotation
	Verpackungsartenschlüssel.pdf
GrossWeight	<p>Occurrence 1 .. 1 Type Weight7.3Type FractionDigits 3 TotalDigits 10 Pattern \d{1,7}(\.\d{1,3})? Description Gross weight (excl. container tara), gross mass. The gross mass is understood to be the mass of the goods with all enclosures except the transport material and in particular containers.</p>
unit	<p>Type weightUnitCode Description Unit of measurement of the weight</p>
	Applicable Codes
	KGM Kilogramm
NetWeight	<p>Occurrence 0 .. 1 Type Weight7.3Type FractionDigits 3 TotalDigits 10 Pattern \d{1,7}(\.\d{1,3})? Description Net weight, net mass. The net mass is understood to be the mass of the goods without all enclosures.</p>
unit	<p>Type weightUnitCode Description Unit of measurement of the weight</p>
	Applicable Codes
	KGM Kilogramm
MarksAndNumbers	<p>Occurrence 0 .. 1 Type an..1024 Length .. 1024 Description Marks and numbers</p>
GoodsDescription	<p>Occurrence 0 .. 1 Type an..1024 Length .. 1024 Description Goods description</p>
MeansOfTransportID	<p>Occurrence 0 .. 1 Type an..13 Length .. 13 Description Means of transport indicator</p>
Remarks	<p>Occurrence 0 .. 1 Type an..1024 Length .. 1024 Remark G27 Description Remarks</p>
VehicleInformation	<p>Occurrence 0 .. 1 Type VehicleInformationType Description Information to a vehicle</p>
xs:sequence	Occurrence 1 .. 1
ChassisNumber	<p>Occurrence 0 .. 1 Type chassisNumberType Length .. 17 Pattern [^ioI]{1,17} Description Chassis number of a vehicle - Note: The character "I" and "O" are not permitted. Instead, always send the digit "1" (one) and "0" (zero).</p>
EquipmentIndicator	<p>Occurrence 0 .. 1 Type xs:boolean Description Indicates whether it is vehicle loading equipment. true = yes, ChassisNumber must be filled, false or not available = no.</p>
AdditionalCargoIndicator	<p>Occurrence 0 .. 1 Type xs:boolean Description Indicates whether it is vehicle loading additional cargo. true = yes, ChassisNumber must be empty, false or not available = no.</p>

Element/Attribute	Annotation
CustomsInformation	<p>Occurrence 0 .. 1</p> <p>Type CustomsInformationPackageType</p> <p>Description Information to customs procedure</p>
xs:sequence	Occurrence 1 .. 1
EXSPositionNumber	<p>Occurrence 1 .. 1</p> <p>Type n..2</p> <p>FractionDigits 0</p> <p>TotalDigits 2</p> <p>Inclusive 1 ..</p> <p>Pattern \d{1,2}</p> <p>Description Position number of export declaration - transferred from position of export declaration (the positions of the export declaration have to be sent in ascending order, beginning with 1).</p>
CountryOfDeparture	<p>Occurrence 0 .. 1</p> <p>Type an2</p> <p>Description Country of dispatch/export/origin - ISO country code (Mandatory in case of MIT, DUX without MRN and AUS; mandatory in case of EUB, if country of dispatch is a non-EU country).</p>
CountryOfDestination	<p>Occurrence 1 .. 1</p> <p>Type an2</p> <p>Description Country of destination - Not permitted in case of declaration type AES.</p>
Participants	<p>Occurrence 1 .. 1</p> <p>Type CustomsParticipantsType</p> <p>Description Participants involved in the customs process</p>
xs:sequence	Occurrence 1 .. 1
Participant	<p>Occurrence 1 .. 999</p> <p>Type CustomsParticipantType</p> <p>Description An involved participant</p>
xs:sequence	Occurrence 1 .. 1
ParticipantType	<p>Occurrence 1 .. 1</p> <p>Type customsParticipantTypeCode</p> <p>Description Participant type</p> <p>Applicable Codes</p> <p>CONSIGNEE Consignee</p> <p>DECLARANT Declarant</p> <p>EXPORTER Exporter</p> <p>REPRESENTING_COMPANY Representing company</p>
EORINumber	<p>Occurrence 0 .. 1</p> <p>Type eoriNumberType</p> <p>Length 4 .. 17</p> <p>Pattern [A-Z]{2}[0-9A-Z]{2,15}</p> <p>Description EORI number with branch. Alternatively to ParticipantsName in case of DUX without MRN. In case of one-stage AES procedure the EORI number for ParticipantType EXPORTER and/or REPRESENTING COMPANY must be specified.</p>
BranchNumber	<p>Occurrence 0 .. 1</p> <p>Type n4</p> <p>FractionDigits 0</p> <p>TotalDigits 4</p> <p>Pattern \d{4}</p> <p>Description Branch number</p>
Name	<p>Occurrence 1 .. 1</p> <p>Type an..40</p> <p>Length .. 40</p> <p>Description Name</p>
Address	<p>Occurrence 0 .. 1</p> <p>Type AddressType</p>

Element/Attribute	Annotation
	Name Address specification
	Occurrence 1 .. 1
xs:sequence	
Line	Occurrence 1 .. 4
	Type an..35
	Length .. 35
	Description Address specification
Commodity	Occurrence 0 .. 1
	Type CommodityType
	Description Commodity description
xs:sequence	
Code	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type commodityCodeType
	Length 8 .. 12
	Pattern ([a-zA-Z\d]{8})[a-zA-Z\d]{12}
	Description Statistical commodity code - 8-digit specification, in case of market regulation goods 12-digit.
Description	Occurrence 0 .. 1
	Type an..176
	Length .. 176
	Description Goods description
SpecialComments	Occurrence 0 .. 1
	Type an..225
	Length .. 225
	Description Special comments - Documents, certificates, approvals submitted.
ProcedureCode	Occurrence 0 .. 1
	Type procedureCodeType
	FractionDigits 0
	TotalDigits 4
	Pattern ([1-3]\d{3})9[5-9]\d{2}
	Description Procedure code - valid values are 1000 until 3999 and 9500 until 9999
OtherExemptionIndicator	Occurrence 1 .. 1
	Type xs:boolean
	Description Indicator "Other exemption" - "true" = yes, the customs data indicated is goods with "other exemption", "false" or not available = No, there is no "other exemption". Mandatory in case of declaration type SBF.
LimitedValueShipmentIndicator	Occurrence 1 .. 1
	Type xs:boolean
	Description Indicator defining the explanation of the value of the export shipment - "false" = the value is higher than 1000 EUR, "true" = the value is smaller/equals 1000 EUR. Mandatory in case of declaration type SBF.
CustomsReferences	Occurrence 0 .. 1
	Type CustomsReferencesPackageType
	Description Customs references
xs:sequence	
TransitMRN	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type mrnType
	Pattern \d{2}[A-Z]{2}[A-Z\d]{14}
	Description MRN number of shipment - shipping label number / MRN number of the shipment (not to be confused with the MRN of the export procedure).
ExportMRN	Occurrence 0 .. 1
	Type mrnType
	Pattern \d{2}[A-Z]{2}[A-Z\d]{14}
	Description Number of export declaration. Mandatory in case of declaration type AUS.
DangerousGoodsInformations	Occurrence 0 .. 1
	Type DangerousGoodsInformationsType
	Description Dangerous goods informations
xs:sequence	
	Occurrence 1 .. 1

Element/Attribute	Annotation
DangerousGoodsInformation	<p>Occurrence 1 .. 99</p> <p>Type DangerousGoodsInformationType</p> <p>Description Dangerous goods information</p>
xs:sequence	Occurrence 1 .. 1
IMDGAmendment	<p>Occurrence 0 .. 1</p> <p>Type an..10</p> <p>Length .. 10</p> <p>Description Amendment of IMDG code where the dangerous goods information refer to</p>
IMDGClass	<p>Occurrence 1 .. 1</p> <p>Type an..4</p> <p>Length .. 4</p> <p>Description IMDG class - check against the IMDG code as well as compatibility assessment with UN number</p>
UNNumber	<p>Occurrence 1 .. 1</p> <p>Type an..4</p> <p>Length .. 4</p> <p>Description UN number - check against the IMDG code as well as compatibility assessment with IMDG class. NONE permitted.</p>
EmergencyProcedure	<p>Occurrence 0 .. 1</p> <p>Type EmergencyProcedureType</p>
xs:sequence	Occurrence 1 .. 1
FireSchedule	<p>Occurrence 0 .. 1</p> <p>Type fireScheduleType</p> <p>Pattern F-[A-J]</p> <p>Description Accident leaflets for fire (emergency procedure)</p>
SpillageSchedule	<p>Occurrence 0 .. 1</p> <p>Type spillageScheduleType</p> <p>Pattern S-[A-Z]</p> <p>Description Accident leaflets for leakage (emergency procedure)</p>
FlashPoint	<p>Occurrence 0 .. 1</p> <p>Type Temperature1000Type</p> <p>FractionDigits 0</p> <p>Inclusive -999 .. 999</p> <p>Description Flashpoint - Mandatory in case of class 3 or if the 1. digit of a lable = 3</p>
unit	<p>Type temperatureUnitCode</p> <p>Description Unit of temperature</p>
	Applicable Codes
	CEL Celsius
Label	<p>Occurrence 0 .. 1</p> <p>Type DGLabelType</p> <p>Description Label</p>
xs:sequence	Occurrence 1 .. 1
Code	<p>Occurrence 0 .. 1</p> <p>Type an..4</p> <p>Length .. 4</p> <p>Description Code</p>
FirstAdditionalLabel	<p>Occurrence 0 .. 1</p> <p>Type an..4</p> <p>Length .. 4</p> <p>Description First additional label</p>
SecondAdditionalLabel	<p>Occurrence 0 .. 1</p> <p>Type an..4</p> <p>Length .. 4</p> <p>Description Second additional label</p>
MarinePollutantIndicator	<p>Occurrence 0 .. 1</p> <p>Type xs:boolean</p> <p>Description Indicator marine pollutant</p>
LimitedQuantityIndicator	<p>Occurrence 1 .. 1</p> <p>Type xs:boolean</p> <p>Description Indicator limited quantity</p>

Element/Attribute	Annotation
– ExceptedQuantityIndicator	<p>Occurrence 0 .. 1 Type xs:boolean Description Indicator "excepted quantity" (This is a new regulation for the transport of excepted quantities, similar to the transport of limited quantity, simplified regulations apply to the transport of these dangerous goods.)</p>
– PackingGroup	<p>Occurrence 0 .. 1 Type an..3 Length .. 3 Description Packaging group - Mandatory in case of N.O.S. position (not otherwise specified), meaning if one of the following character sequences occurs in the element PropperShippingName: NOS/nos/N.O.S./n.o.s./NAG/nag/N.A.G./n.a.g. Possible contents I, II, III >= (does not apply for the class 1,2 and 7)</p>
– Properties	<p>Occurrence 0 .. 1 Type an..216 Length .. 216 Description Properties/remarks</p>
– WaterHazardClass	<p>Occurrence 0 .. 1 Type waterHazardClassCode Description WGK code, water hazard class - coding: 0/1/2/3</p> <p>Applicable Codes</p> <p>0 not assigned 1 low water hazard material 2 water hazard material 3 high water hazard material</p>
– PropperShippingName	<p>Occurrence 1 .. 1 Type an..72 Length .. 72 Description Propper technical term - Propper technical shipping term according to IMDG code</p>
– TechnicalName	<p>Occurrence 0 .. 1 Type an..110 Length .. 110 Description Hazard trigger - Mandatory in case of dangerous goods listed in the general introduction IMDG code chapter 7.</p>
– GGVSAndADRInformation	<p>Occurrence 0 .. 1 Type DGGGVSAndADRInformationType Description GGVS/ADR specifications - Specifications referring to the dangerous goods regulations street</p>
– xs:sequence	<p>Occurrence 1 .. 1</p>
– Class	<p>Occurrence 0 .. 1 Type an..4 Length .. 4 Description Class</p>
– Figure	<p>Occurrence 0 .. 1 Type an..4 Length .. 4 Description Number</p>
– ExplosiveInformation	<p>Occurrence 0 .. 1 Type DGExplosiveInformationType Description Extended information in case of explosive dangerous goods</p>
– xs:sequence	<p>Occurrence 1 .. 1</p>
– Stowage	<p>Occurrence 0 .. 1 Type an..3 Length .. 3 Description Stowage method (acc. to 27. Amdt. IMDG code)</p>
– CompatibilityGroup	<p>Occurrence 0 .. 1 Type an1 Description Compatibility group</p>

Element/Attribute	Annotation
PowderWeight	<p>Occurrence 0 .. 1 Type Weight7.3Type FractionDigits 3 TotalDigits 10 Pattern \d{1,7}(\.\d{1,3})? Description Net powder weight</p>
unit	<p>Type weightUnitCode Description Unit of measurement of the weight</p>
RadioactivityInformation	<p>Occurrence 0 .. 1 Type DGRadioactivityInformationType Description Extended information in case of radioactive dangerous goods</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
Activity	<p>Occurrence 1 .. 1 Type ActivityType Length .. 4 Description Activity</p>
unit	<p>Type radioactiveActivityUnitCode Description Unit of activity</p>
Applicable Codes	<p>KGM Kilogramm</p>
Category	<p>Occurrence 1 .. 1 Type an..4 Length .. 4 Description Category</p>
TransportCode	<p>Occurrence 1 .. 1 Type an..3 Length .. 3 Description Transport code (not required in case of sheet number 01-04)</p>
PackingType	<p>Occurrence 1 .. 1 Type dgPackingTypeCode Description Packing type class 7</p>
Applicable Codes	<p>A Type A Package B(M) Type B(M) Package B(U) Type B(U) Package C Type C Package FREI Excepted Package IP-1 Industrial Package Type 1 (Type IP-1 Package) IP-2 Industrial Package Type 2 (Type IP-2 Package) IP-3 Industrial Package Type 3 (Type IP-3 Package) IP1 Industrial Package Type 1 (Type IP-1 Package) (Deprecated!) IP2 Industrial Package Type 2 (Type IP-2 Package) (Deprecated!) TYP A Type A Package (Deprecated!) TYP B Type B(U) Package (Deprecated!) TYP C Type C Package (Deprecated!) TYP M Type B(M) Package (Deprecated!)</p>
Dimensions	<p>Occurrence 0 .. 1 Type DimensionsType Description Measurements forwarding agency</p>

Element/Attribute	Annotation
xs:sequence	Occurrence 1 .. 1
Dimension	Occurrence 1 .. 999 Type DimensionType Description Dimensions forwarding agency
xs:sequence	Occurrence 1 .. 1
Count	Occurrence 0 .. 1 Type n..4 FractionDigits 0 TotalDigits 4 Inclusive 1 .. Pattern \d{1,4} Description Number
Size	Occurrence 0 .. 1 Type SizeType Description Length specifications
xs:sequence	Occurrence 1 .. 1
Length	Occurrence 0 .. 1 Type LengthType FractionDigits 0 TotalDigits 4 Inclusive 1 .. Pattern \d{1,4} Description Length
<i>unit</i>	Type sizeUnitCode Description Unit of size specifications Applicable Codes
	CMT Zentimeter/Centimeter
Width	Occurrence 0 .. 1 Type LengthType FractionDigits 0 TotalDigits 4 Inclusive 1 .. Pattern \d{1,4} Description Width
<i>unit</i>	Type sizeUnitCode Description Unit of size specifications Applicable Codes
	CMT Zentimeter/Centimeter
Height	Occurrence 0 .. 1 Type LengthType FractionDigits 0 TotalDigits 4 Inclusive 1 .. Pattern \d{1,4} Description Height
<i>unit</i>	Type sizeUnitCode Description Unit of size specifications Applicable Codes
	CMT Zentimeter/Centimeter
Volume	Occurrence 0 .. 1 Type VolumeType Description Measurements volume
xs:sequence	Occurrence 1 .. 1
Single	Occurrence 0 .. 1 Type Volume4.3Type FractionDigits 3 TotalDigits 7 Pattern \d{1,4}(\.\d{1,3})? Description Single coubage
<i>unit</i>	Type volumeUnitCode Description Unit of volume specifications Applicable Codes
	MTQ Kubikmeter

Element/Attribute	Annotation
<ul style="list-style-type: none"> Total <ul style="list-style-type: none"> unit 	<p>Occurrence 0 .. 1 Type Volume8.3Type FractionDigits 3 TotalDigits 11 Pattern \d{1,8}(\.\d{1,3})? Description Total coubage</p>
unit	<p>Type volumeUnitCode Description Unit of volume specifications</p>
Containers	<p>Applicable Codes MTQ Kubikmeter</p>
	<p>Occurrence 0 .. 1 Type ContainersType Description This element summarizes information to all containers of a batch.</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
Container	<p>Occurrence 1 .. 999 Type ContainerType Description Information about a container</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
ContainerNumber	<p>Occurrence 1 .. 1 Type an..12 Length .. 12 Description Container number</p>
NonIsoContainerIndicator	<p>Occurrence 0 .. 1 Type xs:boolean Description Indicates whether it is about a non iso container or not. true = it is about a non iso container, false or element not available = it is not about a non iso container</p>
Seal	<p>Occurrence 0 .. 1 Type an..11 Length .. 11 Description Seal number</p>
SizeType	<p>Occurrence 1 .. 1 Type an..4 Length .. 4 Description Container size and type code according to ISO6346</p>
TemperatureRange	<p>Occurrence 0 .. 1 Type TemperatureRangeType Description Temperature range</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
Min	<p>Occurrence 0 .. 1 Type Temperature100Type FractionDigits 0 Inclusive -99 .. 99 Description Minimum temperature</p>
unit	<p>Type temperatureUnitCode Description Unit of temperature</p>
Max	<p>Applicable Codes CEL Celsius</p> <p>Occurrence 0 .. 1 Type Temperature100Type FractionDigits 0 Inclusive -99 .. 99 Description Maximum temperature</p>
unit	<p>Type temperatureUnitCode Description Unit of temperature</p>
	<p>Applicable Codes CEL Celsius</p>